

## MASTER'S THESIS

# Interactive effects of hypoxia and ocean acidification on biofilms and the subsequent effects on the larval settlement of the marine invertebrate *Crepidiula onyx*

Ho, Chun Ming

*Date of Award:*  
2018

[Link to publication](#)

### General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

## Abstract

Hypoxia and ocean acidification (OA) are amongst the major environmental threats to marine ecosystems worldwide. Biofilms, the signpost to guide larval settlement of many benthic invertebrates, are known to be responsive to environmental changes and thus can become the crucial factor for the response of benthic invertebrate communities. This study aimed at investigating the individual and interactive effects of hypoxia and OA on biofilms and the subsequent effects on larval settlement. Biofilms collected from two sites (clean, hypoxic) were treated with a factorial design of low dissolved oxygen and/or low pH conditions in microcosms and the bacterial cell density and viability (by LIVE/DEAD® cell viability assays) were analyzed. Larval settlement preference was tested with the marine invertebrate, *Crepidula onyx*.

The total bacterial cell densities of biofilms of the hypoxia and hypoxia and OA combination treatment were lower than that of the control biofilms for both sites. There was generally no significant difference in cell viability among control and different treatments for both sites. While the larval settlement rate on hypoxia and hypoxia and OA combination treated biofilms was significantly lower. In conclusion, this study revealed that hypoxia and OA are likely to affect larval settlement by alteration of biofilms, and this may lead to alterations in future coastal communities.

## Table of Contents

Declaration.....	i
Abstract.....	ii
Acknowledgements.....	iii
Table of Contents.....	iv
List of Table.....	vi
List of Figures.....	vii
Abbreviations.....	viii
Chapter 1: Introduction.....	1
1.1 Research background.....	1
1.2 Marine hypoxia.....	2
1.3 Ocean Acidification.....	5
1.4 Interaction of hypoxia and OA.....	7
1.5 Biofilms.....	8
1.6 Individual and interactive effect of hypoxia and OA on biofilms....	10
1.7 Effects of hypoxia or OA manipulated biofilms on settlement of marine invertebrates.....	11
1.8 The studied organism, <i>Crepidula onyx</i> .....	12
1.9 Research objectives.....	14
Chapter 2: Methods.....	16

2.1	Biofilms development.....	16
2.2	Exposure of biofilms to lower DO and pH levels in microcosms....	19
2.3	LIVE/DEAD cell viability assays for bacterial density and viability .....	22
2.4	Studied organism.....	23
2.5	Larval settlement assay.....	24
2.6	Statistical analysis .....	27
Chapter 3: Results and discussion .....		28
3.1	Physical parameters of clean and hypoxic sites .....	28
3.2	Bacterial cell density and viability .....	29
3.3	Larval settlement assay.....	37
3.4	Correlation between bacterial density and percentage settlement ...	44
Chapter 4: Discussion, conclusion and implications.....		46
4.1	Discussion.....	46
4.2	Conclusion .....	53
4.3	Implications .....	54
List of References .....		55
Curriculum Vitae .....		69