

## DOCTORAL THESIS

### Synthesis and characterization of conductive and soluble side-chain blue fluorescent polymers

Wang, Jianli

*Date of Award:*  
2013

[Link to publication](#)

#### General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

**Synthesis and Characterization of  
Conductive and Soluble Side-Chain Blue  
Fluorescent Polymers**

**Wang Jianli**

**A thesis submitted in partial fulfillment of the requirements  
for the degree of  
Doctor of Philosophy**

**Principal Supervisor: Dr. Louis M. Leung**

**Hong Kong Baptist University**

**September 2013**


## Abstract


Semiconducting polymers had been well studied and applied in many research areas. They are such as electroactive actuators, electrochromic materials, microwave-absorbent coatings, polymer solar cells, polymer light-emitting diodes, etc. Traditional semiconductors are metals/oxides and they are expensive, toxic and harmful to the environment. Compared to the traditional  $\pi$ -conjugated main-chain polymers, side-chain conductive polymers have a lower volume percentage of the charge transport moieties yet they possess advantages such as excellent mechanical strength, good rheological properties, solubility in common organic solvents and purer emission hue. Furthermore, the performances of the side-chain semiconducting polymers can be engineered easily by changing their composition or by choosing an appropriate additional polymerization method. As a result, several series of soluble, semiconducting and luminescent side-chain homopolymers and copolymers have been synthesized and characterized.

In this thesis, several series of vinyl conductive polymers have been prepared using the facile solution free radical, anionic and atom transfer radical polymerization methods. The novel polymers including the homopolymer **P(ADN)**, two highly soluble homopolymers **P(2ADN)** and **P(3ADQ)**, two series of ADN moieties containing copolymer **P(ADN-co-S)** and **P(ADN-co-VK)**, a series of pyrene moieties containing copolymer **P(PyPA-co-VPy)** and two novel amphiphilic BAB-type block copolymers, **ADN-PEG3400-ADN** and **Py-PEG3400-Py** which contain blue and greenish-blue fluorescent moieties.


The chemistry and physical properties of the intermediates, the resulting polymers were characterized using nuclear magnetic resonance spectroscopy

(NMR), matrix-assisted laser desorption ionization time-of-flight mass spectrum (MALDI-TOF MS), fourier-transform infrared spectroscopy (FT-IR), elemental analysis (EA), gel permeation chromatography (GPC), thermogravimetric analysis (TGA), differential scanning calorimetry (DSC), UV-Visible spectroscopy (UV-Vis), photoluminescence spectroscopy (PL), cyclic voltammetry (CV), X-ray photoelectron spectroscopy (XPS), transmission electron microscopy (TEM), and fabrication of polymer light-emitting diodes (PLED) and their measurements.





**ADN-PEG3400-ADN**



**Py-PEG3400-Py**

# Table of Contents

<b>Declaration .....</b>	<b>i</b>
<b>Abstract.....</b>	<b>ii</b>
<b>Acknowledgements .....</b>	<b>v</b>
<b>Table of Contents .....</b>	<b>vi</b>
<b>List of Tables.....</b>	<b>xiii</b>
<b>List of Figures.....</b>	<b>xv</b>
<b>List of Schemes.....</b>	<b>xxii</b>
<b>List of Symbols and Units .....</b>	<b>xxiii</b>
<b>List of Abbreviations.....</b>	<b>xxiv</b>
<b>Chapter 1 Introduction.....</b>	<b>1</b>
1.1 Background .....	1
1.2 The classification of the conductive polymers.....	1
1.2.1 Conductively filled polymers .....	2
1.2.2 Charge transfer polymers .....	3
1.2.3 Ionically conducting polymers .....	3
1.2.4 Main-chain conducting polymers .....	4
1.2.5 Side-chain conducting polymers .....	5
1.3 The applications and progresses of the intrinsic semiconducting polymers .....	7
1.3.1 Electroactive actuators.....	7
1.3.2 Electrochromic materials.....	9
1.3.3 Microwave-absorbent coatings.....	12
1.3.4 Polymer solar cells .....	13

1.3.5	Polymer light-emitting diodes .....	17
1.3.5.1	Electron transport materials .....	17
1.3.5.2	Hole transport materials .....	20
1.3.5.3	Electron/Hole injection materials.....	22
1.3.5.4	Light emitting materials .....	23
1.4	The polymerization of the side-chain conductive polymers .....	29
1.4.1	Free radical polymerization .....	29
1.4.2	Cationic polymerization .....	30
1.4.3	Anionic polymerization .....	31
1.4.4	Atom transfer radical polymerization.....	31
1.5	Scope of the thesis .....	35
1.5.1	Blue luminescent side-chain semiconducting polymers for potential application electroluminescence .....	35
1.5.2	Block copolymers with potential applications in biophysics and biochemistry .....	36
1.6	References .....	36

**Chapter 2 Synthesis and Characterization of High Bandgap Blue Light  
Emitting Poly(9,10-di(1-naphthalenyl)-2-vinyl anthracene).....52**

2.1	Introduction .....	52
2.2	Experimental .....	54
2.2.1	Materials and instruments.....	54
2.2.2	Synthesis.....	56
2.2.2.1	2-Methyl-1,4,4a,9a-tetrahydroanthracene-9,10-dione (Nad) .....	56
2.2.2.2	2-Methyl-9,10-anthracenequinone (MAq).....	56

2.2.2.3	2-Methylantracene (MA) .....	57
2.2.2.4	9,10-Dibromo-2-methylantracene (MADBr).....	57
2.2.2.5	2-Methyl-9,10-di(1-naphthalenyl)anthracene (MADN) ..	58
2.2.2.6	2-(Bromomethyl)-9,10-di(1-naphthalenyl)anthracene (ADN-CH <sub>2</sub> Br) .....	58
2.2.2.7	9,10-Di(1-naphthalenyl)anthracene-2-carbaldehyde (ADN-CHO).....	59
2.2.2.8	9,10-Di(1-naphthalenyl)-2-vinylanthracene (Vinyl-ADN) .....	59
2.2.2.9	Homopolymer synthesis.....	60
2.3	Results and discussion.....	61
2.3.1	Synthesis of monomer and polymers .....	61
2.3.1.1	Solution free radical addition polymerization.....	63
2.3.1.2	Anionic polymerization.....	64
2.3.2	Spectroscopic analysis of the monomer and polymers.....	65
2.3.3	Thermal properties.....	68
2.3.4	Optical characteristics of the monomer and polymers .....	69
2.3.5	Electrochemical properties .....	74
2.4	Conclusions .....	77
2.5	References .....	77

<b>Chapter 3</b>	<b>Synthesis and Characterization of Highly Soluble Blue Emitting Poly(2-vinylanthracene) with 9,10-Di(2-naphthalenyl) and 9,10-Di(3-quinolinyl) Substituents.....</b>	<b>82</b>
3.1	Introduction .....	82
3.2	Experimental .....	84



3.2.1	Materials and instruments.....	84
3.2.2	Synthesis.....	84
3.2.2.1	2-Naphthalenyl boronic acid (2NB).....	84
3.2.2.2	2-Methyl-9,10-di(2-naphthalenyl)anthracene (2MADN)	85
3.2.2.3	2-(Bromomethyl)-9,10-di(2-naphthalenyl)anthracene (2ADN-CH <sub>2</sub> Br) .....	86
3.2.2.4	9,10-Di(2-naphthalenyl)anthracene-2-carbaldehyde (2ADN-CHO).....	86
3.2.2.5	9,10-Di(2-naphthalenyl)-2-vinylanthracene (Vinyl-2ADN) .....	87
3.2.2.6	3-Quinoliny boronic acid (3QB).....	87
3.2.2.7	2-Methyl-9,10-di (3-quinoliny) anthracene (3MADQ) ..	88
3.2.2.8	2-(Bromomethyl)-9,10-di (3-quinoliny) anthracene (3ADQ-CH <sub>2</sub> Br) .....	88
3.2.2.9	9,10-Di(3-quinoliny) anthracene-2-carbaldehyde (3ADQ-CHO).....	89
3.2.2.10	9,10-Di(3-quinoliny)-2-vinylanthracene (Vinyl-3ADQ)	89
3.2.2.11	Poly(9,10-di(2-naphthalenyl)-2-vinylanthracene) (P(2ADN)) .....	90
3.2.2.12	Poly(9,10-di(3-quinoliny)-2-vinylanthracene) (P(3ADQ)) .....	90
3.3	Results and discussion.....	90
3.3.1	Synthesis and characterization of the polymers .....	90
3.3.2	Thermal properties.....	95
3.3.3	Optical properties .....	96
3.3.4	Electrochemical and electrical properties.....	103

3.4	Conclusions .....	106
3.5	References .....	106

**Chapter 4 Blue Fluorescent Conductive Homopolymer Poly(9,10-di(1-naphthalenyl)-2-vinylanthracene) and Its Highly Soluble Copolymers with Styrene or 9-Vinyl Carbazole..... 111**

4.1	Introduction .....	111
4.2	Experimental .....	113
4.2.1	Materials and instruments.....	113
4.2.2	Synthesis.....	114
4.3	Results and discussion.....	116
4.3.1	Structure characterization of the homopolymers and copolymers .....	116
4.3.2	Molecular weights of the polymers .....	121
4.3.3	Composition of the copolymers.....	124
4.3.4	Solubilities of the polymers.....	124
4.3.5	Thermal properties of the copolymers.....	125
4.3.6	Optical characteristics of the copolymers.....	130
4.3.7	Electrochemical properties .....	138
4.3.8	Electrical properties.....	140
4.4	Conclusions .....	142
4.5	References .....	142

**Chapter 5 Synthesis and Characterization of Greenish-blue Emitting Vinyl Copolymer Containing Pyrene and Triarylamine Moieties ..... 147**

5.1	Introduction .....	147
-----	--------------------	-----

5.2	Experimental .....	148
5.2.1	Materials and instruments.....	148
5.2.2	Synthesis.....	148
5.2.2.1	1-Nitropyrene (NPy) .....	148
5.2.2.2	Pyren-1-amine (APy) .....	149
5.2.2.3	N,N-Diphenylpyren-1-amine (PyPA) .....	149
5.2.2.4	4-(Phenyl(pyren-1-yl)amino)benzaldehyde (PyPA-CHO) .....	150
5.2.2.5	N-Phenyl-N-(4-vinylphenyl)pyren-1-amine (Vinyl-PyPA).....	151
5.2.2.6	1-Vinyl pyrene (VPy).....	151
5.2.2.7	Free radical polymerization .....	152
5.3	Results and discussion.....	152
5.3.1	Synthesis of monomers and polymers .....	152
5.3.2	Composition of the copolymers.....	156
5.3.3	Molecular weights of the copolymers .....	157
5.3.4	Thermal properties of the copolymers.....	158
5.3.5	Optical characteristics of the copolymers.....	160
5.3.6	Electrochemical properties of the copolymers .....	164
5.3.7	Electroluminescence properties .....	166
5.4	Conclusions .....	170
5.5	References .....	171

**Chapter 6 Self-Assembly and Aggregation of ATRP Prepared Amphiphilic BAB Tri-block Copolymers Contained Nonionic ethylene glycol and Fluorescent 9,10-Di(1-naphthalenyl)-2-vinyl-anthracene/1-Vinyl-pyrene**

