

DOCTORAL THESIS

Peptide functionalized drug delivery system for an efficient lung cancer therapy

Riaz, Muhammad Kashif

Date of Award:
2019

[Link to publication](#)

General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

ABSTRACT

Lung cancer has a high incidence rate globally and the leading cause of cancer related mortalities. In 2018, lung cancer has been estimated to cause 1.76 million deaths worldwide (18.33% of total cancer mortalities). In Hong Kong lung cancer has been a leading cause of cancer related deaths, and in 2016 caused 3780 deaths (26.6% of total cancer mortalities). Non-small cell lung cancer (NSCLC) is the major (~85%) lung cancer type, and five-year survival rate for lung cancer has estimated to be 18%. Thus, an efficient lung cancer treatment with lesser adverse effects is need of the hour. In this connection, active targeting of overexpressed receptors at lung tumor site with a ligand functionalized drug delivery system is the current approach, and pulmonary administration could augment chemotherapeutic effect of the drug through localized administration, minimizing the off-target effects by retention of the drug in lungs.

Quercetin (QR), a natural flavonoid present in edible fruits and vegetables possess anticancer activity i.e. inhibits lung cancer growth. However, the application of QR in lung cancer therapy has been restricted by various factors i.e. low water solubility (2.15 $\mu\text{g/ml}$ at room temperature), low bioavailability and rapid plasma clearance. To overcome the issues, we have formulated various QR-loaded liposomes surface functionalized with transferrin receptor (TFR) targeting peptides i.e. T7 (HAIYPRH) and T12 (THRPPMWSPVWP) in two research projects with active targeting ability, prolonged circulation time, and sustained release behavior for lung cancer specific QR delivery.

In first research project, T7 targeted liposomes with different peptide densities i.e. 0.5%, 1% and 2% and QR-lip (non-targeted) were formulated. TFRs are over expressed (~100 folds) in various cancers including lung cancer and have low expression in most normal cells. T7 surface-functionalized liposomes (2% T7-QR-lip) demonstrated significantly enhanced cytotoxicity (~3-folds), cellular-uptake, S-phase cell cycle arrest and apoptosis in A549 cells. However, in MRC-5 (normal-lung fibroblast) cells no significant difference was observed after treatment with T7-

QR-lip and QR-lip in cytotoxicity and cellular uptake studies. In tumor spheroid penetration and inhibition studies, T7 targeted liposomes showed deeper penetration and pronounced inhibition. *In vivo* biodistribution study via pulmonary administration of T7-DiR-lip has demonstrated liposomes accumulation in the lungs and sustained-release behavior upto 96h. Further, T7-QR-lip significantly enhanced anticancer activity of QR and life-span of orthotopic lung-tumor bearing mice (**p < 0.01, compared with control) via pulmonary administration.

In second research project, T12 surface-functionalized liposomes with 0.5%, 1% and 2% T12 peptide densities and QR-lip have been formulated with ~95 % encapsulation efficiency. *In vitro* drug release study showed sustained release of QR from T12-QR-lip and QR-lip. *In vitro* experiments showed A549 cells treatment with 2% T12-QR-lip enhanced cellular-uptake, *in vitro* cytotoxicity, induced apoptosis and S-phase cell cycle arrest due to TFR mediated endocytosis. No significant variation has been observed in cellular-uptake and cytotoxicity after MRC-5 cells were treated with T12-QR-lip and QR-lip. Further, T12-Cou6-lip showed significantly deeper penetration i.e. 120 μm in 3D lung tumor-spheroids. Biodistribution study showed retention of T12-DiR-lip and DiR-lip mainly in the lungs upto 96h after pulmonary administration, as compared to free DiR. Pulmonary administration of T12-QR-lip showed the strongest tumor growth inhibition and survival time of orthotopic lung tumor implanted mice without any systemic toxicity as compared to QR-lip and free-QR.

In summary, *in vitro* and *in vivo* results of the two research projects suggest that surface functionalization of the liposomes with TFR targeting peptides i.e. T7 and T12 is a promising approach for lung cancer therapy through active targeting and receptor mediated endocytosis of QR at lung tumor site. Moreover, T7 and T12 functionalized liposomes provides a potential drug delivery system for a range of anticancer drugs to enhance their therapeutic efficacy by localized i.e. pulmonary administration and targeted delivery.

TABLE OF CONTENTS

DECLARATION.....	i
ABSTRACT	ii
ACKNOWLEDGEMENTS	iv
TABLE OF CONTENTS	v
LIST OF TABLES	xvi
LIST OF FIGURES	xvii
LIST OF ABBREVIATIONS	xxvii
CHAPTER 1 - Introduction: Background and Literature Review	1
1.1. Lung Cancer and present status of its therapy.....	1
1.2. Quercetin and its utilization in lung cancer treatment.....	2
1.3. Pulmonary administration of chemotherapeutic agents for lung cancer therapy	5
1.4. Drug delivery systems for cancer therapy.....	7
1.4.1. Lipid based drug delivery systems.....	7
1.4.1.1. Liposomes.....	7
1.4.1.2. Solid-Lipid Nanoparticles.....	7
1.4.2. Non-lipid based drug delivery systems	8
1.4.2.1. Niosomes	8
1.4.2.2. Polymeric Nanoparticles.....	8

1.4.2.3.	Hydrogels.....	10
1.4.2.4.	Dendrimers	11
1.4.2.5.	Quantum Dots.....	11
1.4.2.6.	Gold Nanoparticles	11
1.4.2.7.	Mesoporous Silica Nanoparticles	12
1.5.	Liposomes	12
1.5.1.	Classification of liposomes	12
1.5.2.	Stimuli responsive liposomes for enhanced delivery of chemotherapeutic agents at requisite site.....	15
1.5.2.1.	Temperature responsive liposomes.....	15
1.5.2.2.	pH responsive liposomes	15
1.5.2.3.	Magnetic-field responsive liposomes	16
1.5.2.4.	Ultrasound responsive liposomes	16
1.5.2.5.	Other stimuli-responsive liposomes	16
1.5.2.6.	Liposomes responsive to multiple stimuli	17
1.5.3.	Dual functionalized liposomes sensitive to stimuli and functionalized with targeting ligands for enhanced drug delivery	17
1.6.	Strategies for targeting of chemotherapeutic agents at requisite site in cancer therapy using smart functionalized liposomes	18
1.6.1.	Passive targeting or Enhanced Permeability and Retention (EPR) effect	19

1.6.2.	Active targeting with surface engineered liposomes, functionalized with targeting ligands.....	19
1.6.2.1.	Targeting over-expressed receptors on surface of cancer cells	22
1.6.2.2.	Targeting over-expressed receptors in cytoplasm, nucleus and desired organelle	24
1.6.2.3.	Targeting tumor microenvironments	25
1.7.	Targeting ligands for surface functionalization of liposomes in cancer therapy	27
1.7.1.	Surface Functionalization of Liposomes with Peptides	28
1.7.2.	Surface Functionalization of Liposomes with Antibodies	29
1.7.3.	Surface Functionalization of Liposomes with Aptamers	30
1.7.4.	Surface Functionalization of Liposomes with Small Molecules	31
1.7.5.	Surface Functionalization of Liposomes with Dual Targeting Ligands	32
1.8.	Transferrin receptor targeting peptides, as a ligand for lung cancer therapy	32
1.9.	Objectives of the Study	36
CHAPTER 2 - Formulation of T7 peptide surface functionalized liposomes loaded with quercetin and their characterization		37
2.1.	Introduction	37
2.2.	Materials	38
2.3.	Methods	39
2.3.1.	Synthesis of DSPE-PEG(2000)-MAL-T7	39

2.3.2. Formulation of T7 targeted liposomes.....	40
2.3.3. Characterization of liposomes: particle size, polydispersity index, encapsulation efficiency and stability study	41
2.3.4. In vitro drug release study	42
2.4. Results and Discussion.....	42
2.4.1. Synthesis of DSPE-PEG(2000)-MAL-T7	42
2.4.2. Formulation of T7 targeted liposomes.....	43
2.4.3. Characterization of liposomes: particle size, polydispersity index, encapsulation efficiency and stability study.....	44
2.4.4. In vitro drug release study	48
2.5. Conclusion.....	49
CHAPTER 3 - In vitro study of T7 peptide surface functionalized liposomes containing quercetin on 2D lung cancer cells and 3D lung tumor spheroids.....	51
3.1. Introduction	51
3.2. Materials	53
3.3. Methods	53
3.3.1. <i>In vitro</i> cytotoxicity study of T7-targeted liposomes by MTT assay	53
3.3.2. <i>In vitro</i> cytotoxicity investigation of T7-targeted liposomes by apoptosis study.....	54
3.3.3. <i>In vitro</i> cytotoxicity study of T7-targeted liposomes by cell cycle analysis study.....	55

3.3.4. Cellular uptake study (<i>in vitro</i> target-specificity) of T7 targeted liposomes	56
3.3.4.1. Cellular uptake of liposomes (qualitative-study) by confocal laser-scanning microscope (CLSM):	56
3.3.4.2. Cellular uptake of liposomes (quantitative study) by flow cytometry:	57
3.3.5. Tumor spheroid penetration and inhibition study	57
3.3.5.1. <i>In vitro</i> development of 3D lung tumor-spheroids:	57
3.3.5.2. 3D lung tumor-spheroids penetration capability study of T7-targeted liposomes	58
3.3.5.3. <i>In vitro</i> tumor growth inhibition study in 3D lung tumor spheroids	58
3.4. Results and Discussion	59
3.4.1. <i>In vitro</i> cytotoxicity study of T7-targeted liposomes by MTT assay	59
3.4.2. <i>In vitro</i> cytotoxicity investigation of T7-targeted liposomes by apoptosis study	62
3.4.3. <i>In vitro</i> cytotoxicity study of T7-targeted liposomes by cell cycle analysis study	65
3.4.4. Cellular uptake study (<i>in vitro</i> target-specificity) of T7 targeted liposomes	67
3.4.4.1. Cellular uptake of liposomes (qualitative study) by confocal laser-scanning microscope (CLSM)	68
3.4.4.2. Cellular uptake of liposomes (quantitative study) by flow cytometry	70

3.4.5. Tumor spheroid penetration and inhibition study.....	72
3.4.5.1. <i>In vitro</i> development of 3D lung tumor-spheroids:	72
3.4.5.2. <i>In vitro</i> penetration study of coumarin-6 liposomes in 3D lung tumor spheroids	74
3.4.5.3. <i>In vitro</i> tumor growth inhibition study in 3D lung tumor spheroids....	75
3.5. Conclusion.....	78
CHAPTER 4 - In vivo therapeutic efficacy study of T7 peptide surface functionalized liposomes containing quercetin in orthotopic lung cancer mouse models.....	
4.1. Introduction	79
4.2. Materials, Cells and Animals	80
4.2.1. Materials	80
4.2.2. Cells and Animals.....	80
4.3. Methods	81
4.3.1. Establishment of an A549-Luc orthotopic lung cancer mice model	81
4.3.2. Bio-distribution of T7-targeted liposomes in vivo through pulmonary delivery	81
4.3.3. Therapeutic efficacy of T7-targeted liposomes through pulmonary delivery in mice bearing A549-Luc orthotopic implantation	82
4.4. Results and Discussion	83
4.4.1. Establishment of an A549-Luc orthotopic lung cancer mice model	83

4.4.2. Bio-distribution of T7-targeted liposomes in vivo through pulmonary delivery	85
4.4.3. Therapeutic efficacy of T7 targeted liposomes through pulmonary delivery in mice bearing A549-Luc orthotropic implantation.	89
4.5. Conclusion.....	94
CHAPTER 5 - Formulation of T12 peptide surface functionalized liposomes loaded with quercetin and their characterization	
5.1. Introduction	95
5.2. Materials	96
5.3. Methods	97
5.3.1. Synthesis of DSPE-PEG(2000)-MAL-T12	97
5.3.2. Formulation of T12 targeted liposomes.....	97
5.3.3. Characterization of liposomes: particle size, polydispersity index, encapsulation efficiency and stability study	98
5.3.4. In vitro drug release study	99
5.4. Results and Discussion.....	99
5.4.1. Synthesis of DSPE-PEG(2000)-MAL-T12	99
5.4.2. Formulation of T12 targeted liposomes.....	101
5.4.3. Characterization of liposomes: particle size, polydispersity-index, zeta potential, encapsulation efficiency and stability study	101
5.4.4. In vitro drug-release study	107

5.5. Conclusion.....	108
CHAPTER 6 - In vitro study of T12 peptide surface functionalized liposomes containing quercetin on 2D lung cancer cells and 3D lung tumor spheroids.....	
6.1. Introduction	109
6.2. Materials	111
6.3. Methods.....	111
6.3.1. <i>In vitro</i> cytotoxicity study of T12-targeted liposomes through MTT assay	111
6.3.2. <i>In vitro</i> cytotoxicity investigation of T12-targeted liposomes through apoptosis study.....	112
6.3.3. <i>In vitro</i> cytotoxicity study of T12-targeted liposomes through cell cycle analysis study.....	113
6.3.4. Cellular uptake study (target specificity) of T12 targeted liposomes.....	113
6.3.4.1. Cellular uptake (qualitative) study by confocal microscope:.....	114
6.3.4.2. Cellular uptake (quantitative) study by flow cytometry:	114
6.3.5. Tumor spheroid penetration study	115
6.3.5.1. Development of 3D lung-tumor spheroids:	115
6.3.5.2. 3D lung-tumor spheroid penetration study of T12-targeted liposomes	115
6.4. Results and Discussion.....	116

6.4.1. <i>In vitro</i> cytotoxicity study of T12-targeted liposomes through MTT assay	116
6.4.2. <i>In vitro</i> cytotoxicity investigation of T12-targeted liposomes through apoptosis study.....	119
6.4.3. <i>In vitro</i> cytotoxicity study of T12-targeted liposomes through cell cycle analysis study.....	121
6.4.4. Cellular uptake study (target specificity) of T12 targeted liposomes.....	123
6.4.4.1. Cellular uptake (qualitative) study by confocal microscope.....	124
6.4.4.2. Cellular uptake (quantitative) study by flow cytometry	125
6.4.5. Tumor spheroid penetration study	128
6.4.5.1. Development of 3D lung-tumor spheroids:	128
6.4.5.2. 3D lung-tumor spheroid penetration study of T12-targeted liposomes	129
6.5. Conclusion.....	131
CHAPTER 7 - <i>In vivo</i> therapeutic efficacy study of T12 peptide surface functionalized liposomes containing quercetin in orthotopic lung cancer mouse models	132
7.1. Introduction	132
7.2. Materials, Cells and Animals	133
7.2.1. Materials	133
7.2.2. Cells and Animals.....	133

7.3. Methods	134
7.3.1. Establishment of an orthotopic lung cancer mice model.....	134
7.3.2. Bio-distribution Study of T12 targeted liposomes <i>in vivo</i> through pulmonary administration	134
7.3.3. Therapeutic efficacy study of T12 targeted liposomes through pulmonary administration in mice with orthotropic lung tumor implantation.....	135
7.4. Results and Discussion	136
<i>In vivo</i> therapeutic efficacy of T12 targeted liposomes has been studied in orthotopic lung tumor mice model through biodistribution and therapeutic efficacy studies.	136
7.4.1. Establishment of an orthotopic lung cancer mice model.....	136
7.4.2. Bio-distribution Study of T12 targeted liposomes <i>in vivo</i> through pulmonary administration	137
7.4.3. Therapeutic efficacy study of T12 targeted liposomes through pulmonary administration in mice with orthotropic lung tumor implantation.....	141
7.5. Conclusion.....	146
CHAPTER 8 - Conclusions and Future Prospective.....	147
8.1. Conclusions	147
8.2. Future Prospective.....	151
REFERENCES.....	154
PUBLICATIONS	176

CURRICULUM VITAE 178