

## DOCTORAL THESIS

### Design and syntheses of Ir(III) complexes as luminescent biosensors

Lu, Lihua

*Date of Award:*  
2015

[Link to publication](#)

#### General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

# ABSTRACT

Luminescent transition metal complexes have attracted tremendous interest in the analytical field. Most luminescent metal complexes possess long emission lifetimes in the visible region, and their phosphorescence can be readily distinguished from short-lived background auto-fluorescence. Moreover, their large Stokes shift can prevent self-quenching, while their modular synthesis allows their properties to be readily tuned without labor-intensive synthetic protocols. These properties render transition metal complexes as promising candidates for the development of biosensors. In this study, I aimed to explore different kinds of Ir(III) complexes that can be used as biosensors to monitor DNA secondary structures or protein conformations.

Chapter 1 gives a brief introduction regarding the luminescence mechanism of transition metal complexes, and the properties, structures and preparations of Ir(III) complexes are also introduced. Chapters 2–4 report the syntheses and screening of Ir(III) complexes, and the use of these Ir(III) complexes to monitor the secondary structure of DNA, such as G-quadruplex, G-triplex and i-motif DNA. Chapter 2 reports the G-quadruplex-selective properties of two luminescent Ir(III) complexes **2.1** and **2.9** for the detection of ochratoxin A (OTA) and nicking endonuclease in

aqueous solution, respectively; Chapter 3 explores a novel Ir(III) complex **3.8** which is highly specific for G-triplex DNA, and was thus employed for Mung Bean nuclease activity detection; Chapter 4 introduces the Ir(III) complex **4.1** that exhibited a high signal enhancement to i-motif DNA, and was therefore used for terminal deoxynucleotidyl transferase (TdT) activity detection. Chapter 5 describes the two novel cyclometalated Ir(III) complexes **5.1** and **5.21** that were used to monitor two kinds of proteins, human serum albumin (HSA) and beta-amyloid(1–40) ( $A\beta_{1-40}$ ), respectively.

# TABLE OF CONTENTS

Declaration.....	i
Abstract.....	ii
Acknowledgements.....	iv
Table of contents.....	v
Illustrations.....	ix
List of Abbreviations.....	xxvi

## Chapter 1. Introduction

1.1 The design and syntheses of Ir(III) complexes.....	1
1.2 Ir(III) complexes as luminescent chemosensors .....	6
1.3 Ir(III) complexes as luminescent biosensors .....	8
1.3.1 Oligonucleotide-based luminescent detection platform.....	8
1.3.2 Ru(II) and Pt(II) complexes as dsDNA probes.....	16
1.3.3 Ir(III) complexes as G-quadruplex probes.....	30
1.3.4 Ir(III) complexes monitoring the conformation of proteins.....	37
1.4 Reference.....	39

## Chapter 2. G-quadruplex-based detection platforms for the assay of Ochratoxin A (OTA) and nicking endonuclease

2.1 Introduction.....	45
2.2 Results and discussion.....	48
2.2.1 Luminescent switch-on assay for nicking endonuclease assay by using the G-quadruplex-selective Ir(III) complex.....	49
2.2.2 Luminescent switch-on assay for nicking endonuclease assay by using the G-quadruplex-selective Ir(III) complex.....	64
2.3 Experimental section .....	77

2.3.1 Materials .....	77
2.3.2 General experimental .....	80
2.3.3 Photophysical measurement.....	81
2.3.4 G4-FID assay.....	81
2.3.5 FRET melting assay.....	82
2.3.6 Syntheses.....	83
2.3.7 Total cell extract preparation.....	88
2.3.8 Luminescence response of Ir(III) complexes to different forms of DNA.....	88
2.3.9 Stock solutions preparing.....	88
2.3.10 Absorption titration.....	88
2.3.11 Detection of OTA in buffered solution.....	89
2.3.12 Detection of Nb.BbvCI activity.....	90
2.4 Conclusion .....	91
2.5 Reference .....	92

### **Chapter 3. G-triplex-based detection platform for the assay of mung bean (MB) nuclease activity**

3.1 Introduction.....	102
3.2 Results and Discussion .....	105
3.2.1 Screening of G-triplex probe for MB nuclease detection.....	105
3.2.2 The principle of MB nuclease activity detection.....	109
3.2.3 Detection of MB nuclease activity in aqueous solution.....	114
3.2.4 Selectivity of MB nuclease detection platform.....	116
3.2.5 Detection of MB nuclease in diluted cell extract.....	117
3.3 Experimental section.....	118
3.3.1 Materials.....	118
3.3.2 General experiment.....	119
3.3.3 Photophysical measurement.....	120
3.3.4 Syntheses.....	121

3.3.5 Total cell extract preparation.....	123
3.3.6 Luminescence response of Ir(III) complexes towards different forms of DNA.....	123
3.3.7 Detection of MB nuclease activity.....	123
3.4 Conclusion.....	124
3.5 Reference.....	125

## **Chapter 4. I-motif-based detection platform for the assay of terminal deoxynucleotidyl transferase (TdT) activity**

4.1 Introduction.....	130
4.2 Results and conclusion .....	132
4.2.1 Screening of i-motif probe for TdT activity detection.....	132
4.2.2 The mechanism of TdT detection.....	138
4.2.3 The optimization experiments for TdT detection.....	142
4.2.4 Detection of TdT in buffered solution.....	145
4.2.5 The selectivity of TdT detection platform.....	149
4.2.6 Detection of TdT in diluted cell extract.....	150
4.3 Experimental section.....	151
4.3.1 Materials.....	151
4.3.2 General experiment.....	151
4.3.3 Photophysical measurement.....	152
4.3.4 Syntheses.....	152
4.3.5 Luminescence response of iridium(III) complexes towards different forms of DNA.....	154
4.3.6 Absorption titration.....	154
4.3.7 Total cell extract preparation.....	155
4.3.8 Evaluating the effect of dNTP composition.....	155
4.3.9 Detection of TdT activity.....	156
4.4 Conclusion.....	157
4.5 Reference.....	157

# **Chapter 5. Iridium(III) complexes monitoring the configuration of Human serum albumin (HSA) and $\beta$ -amyloid<sub>(1-40)</sub> ( $A\beta_{(1-40)}$ ) fibril**

5.1 Introduction.....	161
5.2 Results and discussion.....	165
5.2.1 Luminescent detection of human serum albumin (HSA) in aqueous solution using a cyclometallated iridium(III) complex.....	165
5.2.2 Dual monitoring and inhibition of beta-amyloid fibrillation by luminescent iridium(III) complexes.....	176
5.3 Experimental section.....	188
5.3.1 Materials.....	188
5.3.2 General experiment.....	188
5.3.3 Syntheses.....	189
5.3.4 Emission measurement in buffered solution.....	196
5.3.5 Preparation of $A\beta_{1-40}$ fibrils for seeding.....	197
5.3.6 ThT and Ir(III) complexes luminescence binding assays.....	197
5.3.7 Mass spectrometry experiments.....	198
5.3.8 Cytotoxicity test (MTT(3-4,5-dimethylthiazol-2-yl)-2,5-tetrazolium bromide) assay) .....	198
5.3.9 Cell viability analysis.....	199
5.4 Conclusion.....	201
5.5 Reference .....	203