

DOCTORAL THESIS

Transport and luminance of organic electronic materials

Fong, Hon Hang

Date of Award:
2004

[Link to publication](#)

General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

**Transport and Luminance
of
Organic Electronic Materials**

FONG Hon Hang

A thesis submitted in partial fulfillment of the requirements
for the degree of
Doctor of Philosophy

Principal Supervisor: Dr. SO Shu Kong

Hong Kong Baptist University

November 2004

Abstract

Organic electronic materials are being widely used in many opto-electronic applications, including organic light-emitting diodes (OLEDs), photovoltaic cells, and thin film transistors. In order to explore the underlying device physics, the electrical conduction of amorphous organic materials is essential.

In this thesis, the charge transport properties of amorphous organic materials, commonly used in organic light-emitting devices are investigated by the means of carrier mobility measurements. Both hole and electron mobilities of the hole dominant materials - *N, N'*-diphenyl-*N, N'*-bis(3-methylphenyl)-(1,1'-biphenyl)-4,4'-diamine (TPD), and the electron dominant materials - *tris*(8-hydroxyquinoline) aluminum (Alq_3) are examined using time-of-flight technique inside a vacuum cryostat, regulated from 200-400 K. The effects of ambient gases on electron transport are further investigated. As doping is essential for enhancing the performance of OLEDs, its influences on the carrier mobility in organic transporters are explored. Moreover, the steric hindrance and concentration effects on the carrier transport are also studied. Carrier transport models, in combination with quantum mechanical calculations, are employed to elaborate the physics of carrier transport in both pristine and doped organic systems. Armed with understanding generated from mobilities measurement, we successfully fabricated blue-emitting OLEDs using electron transporting *tris*(2-methyl-8-hydroxyquinoline) aluminum and hole transporting naphthyl phenylamine derivatives as the light-emitting materials.

Table of Contents

Declaration	i
Abstract	ii
Acknowledgements	iii
Table of Contents	v
List of Figures	ix
List of Tables	xvi
List of Symbols	xvii
List of Abbreviations	xix
Chapter One Introduction	1
I. Introduction	1
A. Operating Principle of Organic Light-emitting Diodes (OLEDs)	3
B. Important Development of OLED Devices	7
II. Review of Functional Organic Materials	20
A. Carrier Injection Materials	20
B. Carrier Transport Materials	25
C. Carrier Blocking Materials	33
D. Light-emitting Materials	35
III. Research Focus	44
IV. Further Applications	47
Chapter Two Principle of Luminescence and Charge Transport	57
I. Introduction	57
II. Photophysical Processes of Organic Materials	57
A. Overview	57
B. Optical Absorption and Emission of an Molecule	59
C. Energy Transfers	65

D.	Excitons and Electroluminescence	69
III.	Carriers Injection and Transport in an Organic Light-emitting Diode	71
A.	Energy Barriers for Carrier Injection	71
B.	Means of Charge Injection	74
C.	Bulk Conduction in Organic Solids	81
D.	Carrier Transport Mechanisms	85
1.	Band Conduction	85
2.	Transport Models of Amorphous Organic Solids	86
Chapter Three	Experimental Techniques	102
I.	Materials Purification	102
II.	Sample Fabrication	105
A.	Substrate Pre-treatment	105
B.	Thin Film Deposition	107
C.	Device Encapsulation	107
III.	Experimental Configurations	109
A.	Electrical Transports in Oorganic Materials	109
1.	Time-of-flight (TOF) Method	109
2.	Transient Electroluminescence (EL) Method	123
B.	Optical Properties of Organic Materials	129
1.	Photoluminescence Spectroscopy and Quantum Efficiency	129
2.	Optical Absorption Spectroscopy	131
C.	Characterization of Organic Light-emitting Diodes	131
1.	Electroluminescence Spectroscopy	131
2.	Current-Voltage-Luminance Measurement	131
Chapter Four	Carrier Transport in Hole Dominant Amorphous Organic Solids	137
I.	Introduction	137
II.	General Observations of Time-of-flight Measurements in Hole Transporters	139

III.	Hole Transport Properties in Molecularly Doped Triphenylamine Derivatives	143
A.	Experimental	144
B.	Hole Transients and Mobilities of TPD, RB:TPD, and DCM1:TPD	146
C.	Interpretation of Hole Transport by Intentional Doping	152
D.	Summary	162
IV.	Hole Transport Properties of Amorphous Rubrene-based Organic Complex	163
A.	Experimental	165
B.	Hole Transients and Mobilities of RB and TBRB	167
C.	Interpretation of Steric Substitution on Rubrene Core Structure	169
D.	Summary	176
V.	Hole conduction in Alloys of Rubrene and TPD	177
A.	Experimental	178
B.	Results and Discussion	179
C.	Summary	191
 Chapter Five Carrier Transport in Electron Dominant <i>tris</i>(8-hydroxyquinoline) aluminum		197
I.	Introduction	197
II.	Organization	199
III.	Electron Transport in <i>tris</i> (8-hydroxyquinoline) aluminum	201
A.	Effect of thermal annealing on Alq ₃	202
B.	Extrinsic Traps and Electron Mobility by Time-of-flight Measurement	213
C.	Electron Mobility by Transient EL Measurement	222
D.	Electron Transport Mechanism	228
IV.	Detailed Examination of Nitrogen, Oxygen, and Moisture on the Electron Transport of <i>tris</i> (8-hydroxyquinoline) aluminum	234
A.	Experimental	235

B.	Results	235
C.	Discussion	242
D.	Conclusion	246
V.	Hole Transport in <i>tris</i> (8-hydroxyquinoline) aluminum	248
A.	Experimental	249
B.	Results and Discussion	250
C.	Conclusion	259
Chapter Six	Blue Organic Light-emitting Devices	265
I.	Introduction	265
A.	Hydroxyquinoline-based Blue Emitters	265
B.	Non-hydroxyquinoline-based Hole Transporting Blue Emitters	266
C.	Device Structures	267
II.	A Promising Saturated Blue Organic Emitter: <i>tris</i> (2-methyl-8-hydroxyquinoline) Aluminum	268
A.	Experimental	273
B.	Results and Discussion	273
C.	Conclusion	282
III.	Blue emission from triarylamine compounds	284
A.	Experimental	284
B.	Results and Discussion	287
C.	Conclusion	298
Chapter Seven	Conclusion	301
Appendices		306
Curriculum Vitae		311