

DOCTORAL THESIS

Low rank tensor decomposition for feature extraction and tensor recovery

Shi, Qiquan

Date of Award:
2018

[Link to publication](#)

General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

Abstract

Feature extraction and tensor recovery problems are important yet challenging, particularly for multi-dimensional data with missing values and/or noise. Low-rank tensor decomposition approaches are widely used for solving these problems. This thesis focuses on three common tensor decompositions (CP, Tucker and t-SVD) and develops a set of decomposition-based approaches. The proposed methods aim to extract low-dimensional features from complete/incomplete data and recover tensors given partial and/or grossly corrupted observations.

Based on CP decomposition, semi-orthogonal multilinear principal component analysis (SO-MPCA) seeks a tensor-to-vector projection that maximizes the captured variance with the orthogonality constraint imposed in only one mode, and it further integrates the relaxed start strategy (SO-MPCA-RS) to achieve better feature extraction performance. To directly obtain the features from incomplete data, low-rank CP and Tucker decomposition with feature variance maximization (TDVM-CP and TDVM-Tucker) are proposed. TDVM methods explore the relationship among tensor samples via feature variance maximization, while estimating the missing entries via low-rank CP and Tucker approximation, leading to informative features extracted directly from partial observations. TDVM-CP extracts low-dimensional vector features viewing the weight vectors as features and TDVM-Tucker learns low-dimensional tensor features viewing the core tensors as features. TDVM methods can be generalized to other variants based on other tensor decompositions. On the other hand, this thesis solves the missing data problem by introducing low-rank matrix/tensor completion methods, and also contributes to

automatic rank estimation. Rank-one matrix decomposition coupled with L1-norm regularization (L1MC) addresses the matrix rank estimation problem. With the correct estimated rank, L1MC refines its model without L1-norm regularization (L1MC-RF) and achieve optimal recovery results given enough observations. In addition, CP-based nuclear norm regularized orthogonal CP decomposition (TREL1) solves the challenging CP- and Tucker-rank estimation problems. The estimated rank can improve the tensor completion accuracy of existing decomposition-based methods. Furthermore, tensor singular value decomposition (t-SVD) combined with tensor nuclear norm (TNN) regularization (ARE_{TNN}) provides automatic tubal-rank estimation. With the accurate tubal-rank determination, ARE_{TNN} relaxes its model without the TNN constraint (TC-ARE) and results in optimal tensor completion under mild conditions. In addition, ARE_{TNN} refines its model by explicitly utilizing its determined tubal-rank a priori and then successfully recovers low-rank tensors based on incomplete and/or grossly corrupted observations (RTC-ARE: robust tensor completion/RTPCA-ARE: robust tensor principal component analysis).

Experiments and evaluations are presented and analyzed using synthetic data and real-world images/videos in machine learning, computer vision, and data mining applications. For feature extraction, the experimental results of face and gait recognition show that SO-MPCA-RS achieves the best overall performance compared with competing algorithms, and its relaxed start strategy is also effective for other CP-based PCA methods. In the applications of face recognition, object/action classification, and face/gait clustering, TDVM methods not only stably yield similar good results under various multi-block missing settings and different parameters in general, but also outperform the competing methods with significant improvements. For matrix/tensor rank estimation and recovery, L1MC-RF efficiently estimates the true rank and exactly recovers the incomplete images/videos under mild conditions, and outperforms the state-of-the-art algorithms on the whole. Furthermore, the empirical evaluations show that TREL1 correctly determines the CP-/Tucker- ranks well, given sufficient observed entries, which consistently improves the recovery per-

formance of existing decomposition-based tensor completion. The t-SVD recovery methods TC-ARE, RTPCA-ARE, and RTC-ARE not only inherit the ability of ARE_{TNN} to achieve accurate rank estimation, but also achieve good performance in the tasks of (robust) image/video completion, video denoising, and background modeling. This outperforms the state-of-the-art methods in all cases we have tried so far with significant improvements.

Keywords: Low-rank tensor decomposition, CP, Tucker, t-SVD, feature extraction, automatic rank estimation, tensor completion, robust tensor recovery, missing data.

Table of Contents

Declaration	i
Abstract	ii
Acknowledgements	v
Table of Contents	vii
List of Tables	xi
List of Figures	xiv
Chapter 1 Introduction	1
1.1 Feature Extraction	2
1.1.1 Feature Extraction for Complete Data	2
1.1.2 Feature Extraction for Incomplete Data	3
1.2 Rank Estimation and Completion	4
1.2.1 Matrix Rank Estimation and Completion	4
1.2.2 CP-/Tucker- Rank Estimation and Completion	5
1.3 Robust Tensor Recovery	6
1.3.1 Tubal-Rank Estimation and Completion	7
1.3.2 Robust Tensor Recovery	7
1.4 Contributions	8
1.5 Organization	11

Chapter 2	Fundamentals of Tensor Decomposition	13
2.1	Preliminaries	14
2.1.1	Basic Notations	14
2.1.2	Basic Multilinear Algebra	14
2.2	CP Decomposition	15
2.2.1	CP Decomposition	15
2.2.2	Connect to Tensor-to-Vector Projection	16
2.2.3	Connecting to Rank-one Matrix Decomposition	17
2.3	Tucker Decomposition	18
2.4	Tensor Singular Value Decomposition (t-SVD)	19
2.4.1	Basic Definitions Related to T-SVD	19
2.4.2	T-SVD	20
2.5	Summary of CP, Tucker and t-SVD	21
Chapter 3	Feature Extraction via Low Rank CP and Tucker Decom-	
	position	23
3.1	Semi-Orthogonal Multilinear PCA with Relaxed Start	23
3.1.1	Introduction	24
3.1.2	SO-MPCA with Relaxed Start	26
3.1.3	Successive Derivation of SO-MPCA	28
3.1.4	Relaxed Start for Better Generalization	31
3.1.5	Experiments	32
3.1.6	Summary	37
3.2	Feature Extraction for Incomplete Data via Low-rank Tensor Decom-	
	position with Feature Regularization	38
3.2.1	Introduction	39
3.2.2	Related Works	44
3.2.3	The Proposed: TDVM-Tucker and TDVM-CP	45
3.2.4	Discussion: General Model-TDFR	55
3.2.5	Experiments	57

3.2.6	Summary	78
-------	-------------------	----

Chapter 4 Matrix and Tensor Completion with Automatic Rank Estimation via L1-norm Regularized CP decomposition 80

4.1	Rank-One Matrix Completion With Automatic Rank Estimation via L1-Norm Regularization	80
4.1.1	Introduction	81
4.1.2	Preliminaries and Related Works	85
4.1.3	Proposed Matrix Completion Methods	88
4.1.4	Experiments	96
4.1.5	Completion Performance and Rank Estimation Comparison .	105
4.1.6	Summary	112
4.2	Tensor Rank Estimation and Completion via CP-based Nuclear Norm	113
4.2.1	Introduction	114
4.2.2	Proposed Tensor Rank Estimation Methods	116
4.2.3	Experiments	123
4.2.4	Summary	135

Chapter 5 Robust Tensor SVD and Recovery with Automatic Rank Estimation 136

5.1	Introduction	137
5.2	Preliminaries and Related Works	141
5.2.1	Preliminaries	142
5.2.2	Related Works	143
5.3	The Proposed Tensor Completion with Automatic Rank Estimation .	145
5.3.1	Automatic Rank Estimation via ARE_{TNN}	145
5.3.2	Tensor Completion via TC-ARE	151
5.4	The Proposed Robust Tensor Recovery with Automatic Rank Estimation	152
5.4.1	Robust Tensor PCA	153

5.4.2	Robust Tensor Completion	155
5.5	Algorithm Analysis and Generalization	157
5.5.1	Computational Complexity Analysis	157
5.5.2	Generalization of the Proposed Methods	158
5.6	Experiments	161
5.6.1	Experimental Setup	161
5.6.2	Tensor Rank Estimation and Completion Sensitivity on λ and \hat{R}	162
5.6.3	Convergence Study	164
5.6.4	Evaluation of Synthetic Data	166
5.6.5	Application to Image and Video Completion	169
5.6.6	Application to Video Denoising	172
5.6.7	Application to Robust Completion for Images with both Missing and Corrupted Entries	174
5.6.8	Application to Video Background Modeling	176
5.6.9	Summary of Experimental Results	177
5.7	Summary	178
Chapter 6 Conclusions		179
6.1	Key Contributions	179
6.2	Future Directions	182
6.2.1	Further Development of the Proposed Algorithms	183
6.2.2	Exploring Other Open Questions and Applications	184
Appendices		186
Bibliography		189
List of Publications		216
Curriculum Vitae		218