

MASTER'S THESIS

Impact of synaptic properties, background activities and conductance effects on neural computation of correlated inputs

Chan, Ho Ka

Date of Award:
2015

[Link to publication](#)

General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

**Impact of Synaptic Properties, Background Activities and
Conductance Effects on Neural Computation of Correlated Inputs**

CHAN Ho Ka

**A thesis submitted in partial fulfilment of the requirements
for the degree of
Master of Philosophy**

Principal Supervisor: Dr. ZHOU Changsong

Hong Kong Baptist University

May 2015

DECLARATION

I hereby declare that this thesis represents my own work which has been done after registration for the degree of MPhil at Hong Kong Baptist University, and has not been previously included in a thesis or dissertation submitted to this or any other institution for a degree, diploma or other qualifications.

Signature: _____

Date : May 2015

Abstract

Neurons transmit information through spikes in neural networks through synaptic couplings. Given the prevalence of correlation among neural spike trains experimentally observed in different brain areas, it is of interest to study how neurons compute correlated input. Yet how it depends on the synaptic properties and conductance kinetics in neuronal interaction is very little known. Through simulation of leaky integrate-and-fire (LIF) neurons, we have studied the effects of excitatory and inhibitory synaptic decay times, level of background activities and higher-order conductance effects on the output correlation of different time scales for neurons receiving correlated excitatory input. We also provided important understanding on the mechanism of how these factors influence neural computation of such correlated input.

We showed that when the conductance effects are totally ignored, increasing excitatory synaptic decay time jitters output spike time and shapes the output correlation of short to medium time scale, while the output correlation of very long time scale is determined by the membrane time constant. When conductance effects are considered, this is no longer the case as the effective membrane time constant becomes comparable to the excitatory decay time. We found that the ratio of long-term correlation to short-term correlation (synchrony) increases with excitatory synaptic decay time and decreases with the level of input activities due to the combined effects of jittered spike time. This observation can be associated with the time window and magnitude of the effects of a single input spike on membrane potential, and burst firing. In particular, it is possible for neurons with small excitatory synaptic decay time in high conductance state to respond to correlated input by solely giving extra precisely timed synchronous spikes without exhibiting correlation of longer time scale. In addition, we found that inhibitory synaptic decay time shapes correlation by controlling the relative contribution of excitatory and inhibitory input to output firing. As a result, both output correlation and synchrony increase with it. These results are qualitatively true for a wide range of input correlation and synaptic efficacies. Finally, we showed that fluctuations of conductance and membrane potential reduce output correlation, which can be explained by the reduced prevalence of burst firing.

These results suggest that spike initiation dynamics of neurons can be well characterized by their synaptic decay times and the level of input activities. These properties are therefore expected to influence neurons' ability to code temporal information. These results also hint that correlation, in particular that of long time scale, would be lower if more realistic biophysical features like neural adaptations and network circuitry with feed-forward or recurrent inhibition are considered. It suggests that studies using single LIF neurons tend to overestimate output correlation and underestimate the ability of neurons in producing precisely timed output.

Acknowledgement

I would like to thank my supervisor Dr. Zhou Changsong for his efforts in helping with my study. I was inexperienced in research and unfamiliar with the field of computational neuroscience when I started the degree program. He patiently helped me get acquainted with the field and discussed important issues that can be researched on. He also helped me a lot in other aspects of my study and encouraged me to attend conferences and gives talks in meetings. He also devoted much time in reading the draft of manuscripts and thesis and gave valuable comments.

I would like to thank Dr. Yang Dong-ping for his guidance on my research work. We spent much time together discussing on interesting directions of research which ultimately helped me identify the direction of my work. He also shared with me recent literatures in the field and provided valuable suggestions about how I could improve my work. He also helped me learn some useful techniques which have been very useful to my study and research.

I would like to thank my other colleagues for discussing with me different issues in computational neuroscience, which helped me broaden my knowledge in other aspects in the field. They shared their experiences on their career and provided suggestions on my future career path.

Finally, I would like to thank my parents and friends for mentally supporting me during my study and helped me brace through hard time. I would also like to thank my parents for their support my finances and life so that I could concentrate on my study and research.

Contents

DECLARATION	i
ABSTRACT	ii
ACKNOWLEDGEMENT	iii
LIST OF ABBREVIATIONS AND PHRASES	vi
LIST OF FIGURES AND TABLES	vii
Chapter 1 Introduction	1
1.1 Ubiquity of correlated activities observed in our brain	1
1.2 Possible functions and roles of correlated activities.....	1
1.3 Previous work on computation and transmission of correlated input on single neuron level	4
1.4 Objective of the thesis	6
Chapter 2 Single neuron dynamics: The leaky integrate-and-fire model	8
2.1 Conductance based model	9
2.2 Current based model.....	11
2.3 Modified current based model.....	12
Chapter 3 Generating correlated excitatory input	15
3.1 Statistics of the input spike trains	15
3.2 Generating correlated spike trains using SIP process.....	16
3.3 Balance between excitation and inhibition.....	17
Chapter 4 Characterizing output correlation	20
Chapter 5 Impact of conductance effects and synaptic decay time on output correlation	24
5.1 Prelude: The effects of excitatory decay time ignoring conductance effects	25
5.2 The joint effects of excitatory decay time and conductance kinetics	28
5.2.1 The ‘effect time window’ of excitatory input	32
5.2.2 The effects of burst firing.....	36
5.3 The effects of inhibitory synaptic decay time.....	42
5.4 Synaptic input with constant peak of conductance change	45
5.5 The effects of input correlation	49

5.6	Higher order conductance effects	51
Chapter 6	Discussion	56
6.1	Implication on spike initiation dynamics and coding	56
6.2	Possible effects of other biophysical features on neural computation of correlated input	58
6.3	Correlation between inhibitory input and between excitatory and inhibitory input	59
	Bibliography	60