

MASTER'S THESIS

Photodynamic effects of the photosensitizers Zn-BC-AM and pyropheophorbide-a methyl ester (MPPa) on nasopharyngeal carcinoma cells

Li, Kai Man Samuel

Date of Award:
2004

[Link to publication](#)

General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

**Photodynamic Effects of the Photosensitizers Zn-BC-AM and
Pyropheophorbide-*a* Methyl Ester (MPPa) on
Nasopharyngeal Carcinoma Cells**

LI Kai Man, Samuel

**A thesis submitted in partial fulfillment of the requirements
for the degree of
Master of Philosophy**

Principal Supervisor: Dr. MAK Nai Ki

Hong Kong Baptist University

December 2004

Abstract

Cancer is one of the fatal diseases which claim million of life every year. The conventional therapies for cancer include chemotherapy, radiotherapy and surgery. However, there are many side effects associated with these therapeutic methods. In the past two decades, photodynamic therapy (PDT) was developed as an effective modality for the treatment of malignant diseases. During PDT, photosensitizer is preferentially absorbed and retained in the malignant tissues and then photoactivated by an appropriate wavelength of light. Subsequent photoactivation of the photosensitizer results in the tumor cell death.

In Hong Kong, Nasopharyngeal Carcinoma (NPC) is a one of the major malignant diseases. In the present study, the photodynamic activities of two photosensitizers pyropheophorbide- methyl ester (MPPa) and a benzochlorine derivative Zn-BC-AM on the NPC cells were investigated. After irradiation at an appropriate wavelength of light, a significant cytotoxicity was observed in MPPa and Zn-BC-AM treated NPC/HONE-1 cells. The two photosensitizers killed the HONE-1 cells in a drug- and light-dose dependent manners.

The localization of the two photosensitizers in NPC cells was also examined. MPPa and Zn-BC-AM were found to localize in the mitochondria, endoplasmic reticulum (ER) and Golgi apparatus in HONE-1 cells. Results from nuclear staining and flow cytometric analysis revealed that PDT-treated NPC cells exhibited the characteristic mode of apoptotic cell death, namely DNA condensation and the appearance of sub-G1 peak. In addition to the triggering of the mitochondria-mediated apoptotic cell death pathway (i.e. induction of a rapid collapse of mitochondrial membrane potential ($\Delta\psi_m$), followed by the release of cytochrome c, and activation of caspase-9 and -3) the two

sensitizers also induced ER stress in the PDT treated NPC cells. Expression of ER chaperones Bip/Grp78 and Grp94, and ER resident lectin-like chaperone calnexin (CNX) was also enhanced in PDT-stressed NPC cells. Caspase-12, an important caspase involved in ER stress-induced apoptosis, was also proteolytically activated. Inhibition of Ca^{+2} uptake into mitochondria by ruthenium red (RR) or loading the cells with EGTA-AM, an agent that buffers intracellular Ca^{+2} released from ER, resulted in a significant reduction of PDT-induced cell death. Our results indicated that ER may also play an important role in the apoptotic cell death of the NPC cells. These observations suggested that both ER and mitochondria are the subcellular targets of the two sensitizers, and activation of ER- and mitochondria-mediated apoptotic pathways was responsible for MPPa and Zn-BC-AM PDT-induced NPC cell death.

Photodynamic therapy has been reported to induce the expression of cytokines, such as IL-6, IL-8, IL-10 and TNF- α in cancer cells. However, whether cytokine expression by cancer cells is directly related to the antitumor effect of PDT is unclear. It has been reported that PDT induces specific and nonspecific immune responses against tumors *in vitro* and *in vivo*. To determine whether cytokines are produced during treatment of NPC cells in Zn-BC-AM and MPPa PDT, we examined the expression of cytokines by PDT treated NPC cells. In the present studies, marked changes in the expression of cytokines profile were observed. MPPa and Zn-BC-AM PDT were found to up-regulate the mRNA expression of IL-6, IL-8, IL-12 (p35), TNF- α , MIP-1 β , MPIF-1 and MPIF-2 in NPC cells. These results indicate that the PDT-induced expression of those inflammatory cytokines and chemokines may play a role in cellular sensitivity to PDT, and may be important in modulating the local antitumour immune response.

Apart from the *in vitro* studies, a NPC xenograft nude mouse model was used to evaluate the *in vivo* photodynamic efficacy of Zn-BC-AM PDT. NPC bearing nude mice were treated with 3mg/kg of Zn-BC-AM. After 24 hours, tumors were irradiated with 150 J/cm² (continuously or fractionated) from a diode laser (670 nm). Results from tumor response study and tumor histological examination revealed that the tumor growth was significantly reduced in PDT treated animals. Intra-tumour blood capillaries were also reduced after PDT. To conclude, our data suggest that Zn-BC-AM may be a candidate photosensitizer for the treatment of NPC.

Table of Contents

	Page
Declaration	i
Abstract	ii
Acknowledgements	v
Table of Contents	vi
List of Tables	xiii
List of Figures	xiv
List of Abbreviations	xviii

Chapter 1: Introduction

1.1.	Photodynamic Therapy (PDT)	1
1.2.	Features of PDT	1
1.3.	History of PDT	2
1.4.	Mechanisms of PDT	6
1.5.	Mechanisms of Cell and Tumor Destruction induced by PDT	7
1.6.	The Photosensitizers (PSs)	9
1.6.1.	Properties of PSs	9
1.6.2.	Properties of Pyropheophorbide-a methyl ester (MPPa)	13
1.6.3.	Properties of Benzochlorin Derivative (Zn-BC-AM)	14
1.7.	Light Source	14
1.7.1.	Spectrum of Visible Light	15
1.8.	Modes of Cell Death	15
1.8.1.	Apoptosis	15
1.8.1.1	Apoptotic Pathways	15
1.8.2.	Necrosis	16
1.9.	Nasopharyngeal Carcinoma (NPC)	17
1.10.	Angiogenesis and Tumour	19
1.10.1.	Angiogenesis Balance	20
1.10.2.	Tumour Angiogenesis	20

1.10.3.	Metastasis of Tumour	20
1.11.	PDT induced Cytokines and Chemokines Production	21
1.12.	Nude Mice Xenograft Model	24
1.13.	Histological Assessment of Tumour	25
1.13.1.	Hematoxylin and Eosin (H&E) Staining	25
1.13.2.	Immunohistochemistry Staining	25
1.13.2.1	Bcl-2 Staining	25
1.13.2.2	p53 Staining	26
1.14.	Aims of the Studies	27

Chapter 2: Materials and Methods

2.1.	Materials	30
2.1.1.	Photosensitizers	30
2.1.1.1	Pyropheophorbide-a Methyl Ester (MPPa)	30
2.1.1.2	Benzochlorine Derivative (Zn-BC-AM)	30
2.1.2.	Light Source	31
2.1.3.	Cultivation of NPC Cells	31
2.1.3.1	HONE-1.	31
2.1.3.2	CNE-2	32
2.1.3.3	HK-1	32
2.1.4.	Animals	33
2.2.	Methods	33
2.2.1.	MTT Cytotoxicity Assay	33
2.2.2.	Clonogenicity Assay	33
2.2.3.	Laser Scanning Confocal Microscopy	34
2.2.4.	Nuclear Staining	34
2.2.5.	Flow Cytometry	35
2.2.5.1	Measurement Analysis of Mitochondrial Membrane Potential	35
2.2.5.2	Flow Cytometric Analysis of DNA Fragmentation	36
2.2.6.	Western Blotting	36
2.2.7.	Caspases Assay	37

2.2.8.	Reverse Transcription-Polymerase Chain Reaction (RT-PCR)	38
2.2.9.	Enzyme-Linked Immunosorbent Assay (ELISA)	39
2.2.10.	Tumor Response Study in NPC bearing Nude Mice	40

Chapter 3: Characterization of Drug Resistant Properties of Nasopharyngeal Carcinoma Cell Lines

3.1.	Introduction	43
3.2.	Materials and Methods	44
3.2.1.	NPC Cell Lines	44
3.2.2.	Chemicals	45
3.2.3.	Source of Primary and Secondary Antibodies	45
3.2.4.	Cytotoxicity of Anti-Tumor Drugs	45
3.2.5.	Detection of Multidrug Resistance Protein (MRP)	46
3.3.	Results	47
3.3.1.	<i>In vitro</i> Cytotoxicity Studies of Anti Tumor Drugs	47
3.3.2.	Intracellular Fluorescence Studies for Multidrug-Resistance Protein (MRP) Expression	48
3.4 .	Discussion	49
3.5	Conclusion	55

Chapter 4: Photodynamic Properties of Pyropheophorbide-a Methyl Ester (MPPa) on Human Nasopharyngeal Carcinoma Cells

4.1.	Introduction	66
4.2.	Materials and Methods	68
4.2.1.	Photosensitizers	68
4.2.2.	NPC Cell Lines	68
4.2.3.	Cytotoxicity Assay	68
4.2.4.	Clonogenicity Assay	69

4.2.5.	Subcellular Localization of MPPa in NPC cells	69
4.2.6.	Nuclear Staining of Apoptotic Bodies	70
4.2.7.	Flow Cytometric Analysis of DNA Fragmentation	71
4.2.8.	Flow Analysis for Mitochondrial Membrane Potential	71
4.2.9.	Analysis of Cytochrome c release by Laser Scanning Confocal Microscopy and Flow Cytometric Method	72
4.2.10.	Western Blotting Analysis	73
4.2.11.	Caspases Assay	74
4.2.12.	Role of Caspase in MPPa mediated PDT	75
4.3.	Results	76
4.3.1.	Photocytotoxicity of MPPa	76
4.3.2.	Subcellular Localization of MPPa in NPC cells.	77
4.3.3.	Nuclear Staining of Apoptotic Bodies	77
4.3.4.	Flow Cytometric Analysis of DNA Fragmentation	78
4.3.5.	Flow Cytometric Analysis of the Collapse of Mitochondrial Membrane Potential and the release of Cytochrome C after PDT.	78
4.3.6.	Detection of Caspases -12 and ER-stress-induced Expression of Chaperone Proteins after PDT.	79
4.3.7.	Caspases Activation	81
4.3.8.	Role of Caspase in MPPa mediated PDT	81
4.4.	Discussion	82
4.5.	Conclusion	88

Chapter 5: Photodynamic Properties of Benzochlorin Derivative (Zn-BC-AM) on Human Nasopharyngeal Carcinoma Cells

5.1.	Introduction	116
5.2.	Materials and Methods	117
5.2.1.	Photosensitizers	117
5.2.2.	NPC Cell Lines	118
5.2.3.	Cytotoxicity Assay	118

5.2.4.	Clonogenicity Assay	119
5.2.5.	Subcellular Localization of Zn-BC-AM in NPC Cells	119
5.2.6.	Nuclear Staining of Apoptotic Bodies	120
5.2.7.	Flow Cytometric Analysis of DNA Fragmentation	121
5.2.8.	Flow Analysis for Mitochondrial Membrane Potential	121
5.2.9.	Analysis of Cytochrome c release by Laser Scanning Confocal Microscopy and Flow Cytometric Method	122
5.2.10.	Western Blotting Analysis	123
5.2.11.	Caspases Assay	124
5.2.12.	Role of Intracellular Ca ⁺² in Zn-BC-AM mediated PDT.	125
5.3.	Results	125
5.3.1.	Photocytotoxicity of Zn-BC-AM	125
5.3.2.	Subcellular Localization of Zn-BC-AM in NPC Cells.	126
5.3.3.	Nuclear Staining of Apoptotic Bodies	127
5.3.4.	Flow Cytometric Analysis of DNA Fragmentation	128
5.3.5.	Flow Cytometric Analysis of the Collapse of Mitochondrial Membrane Potential and the release of cytochrome C after PDT.	128
5.3.6.	PDT-induced ER Stress	129
5.3.7.	Caspase Activation	130
5.3.8.	Role of Intracellular Ca ⁺²	131
5.4.	Discussion	131
5.5.	Conclusion	138

Chapter 6: Effects of Zn-BC-AM PDT on NPC bearing Nude Mice

6.1.	Introduction	166
6.2.	Materials and Methods	167
6.2.1.	Source of Primary and Secondary Antibodies	167
6.2.2.	Animals and Tumor Model	167
6.2.3.	Injection of Photosensitizer	168
6.2.4.	Light Delivery	168

6.2.5.	Tumor Response Study	169
6.2.6.	Histological Evaluation of Tumor Growth after PDT Treatment	169
6.2.6.1	Hematoxylin and Eosin (H&E) Staining	169
6.2.6.2	Immunocytochemistry	170
6.3.	Results	171
6.3.1.	Growth of NPC in Zn-BC-AM PDT-treated Nude Mice	171
6.3.2.	Histology Examination of NPC Tumors after Zn-BC-AM PDT Treatment	172
6.3.3.	Detection of NPC by Immunohistochemical Method	172
6.4.	Discussion	174
6.5.	Conclusion	177

Chapter 7: Cytokines expressions in PDT-treated NPCs

7.1.	Introduction	196
7.2.	Materials and Methods	197
7.2.1.	Preparation of Cell Culture for mRNA Analysis	197
7.2.2.	Isolation of Total RNA by Guandidium Thiocyanate–Cesium Chloride Ultracentrifugation	197
7.2.3.	Synthesis of First Strand cDNA	198
7.2.4.	Analysis of mRNA Gene Expression by Reverse Transcription Polymerase Chain Reaction (RT-PCR)	198
7.2.5.	Enzyme-Linked Immunosorbent Assay (ELISA) of IL-8	119
7.3.	Results	200
7.3.1.	Effect of MPPa/PDT on the Expression of Inflammatory Cytokines (IL-1 β , IL-6, IL-12 p35, TNF- and RANTES) and Chemokines mRNA in PDT-treated NPCs.	200
7.3.2.	Effect of Zn-BC-AM/PDT on the Expression of Inflammatory Cytokines (IL-1 β , IL-6, IL-12 p35, TNF- and RANTES)	201

and Chemokines mRNA in PDT-treated /NPCs.	
7.3.3. Detection of IL-8 Protein Production in MPPa and Zn-BC-AM PDT-treated NPCs by ELISA.	202
7.4. Discussion	203
7.5. Conclusion	207
Chapter 8: Further Studies	224
References	226
List of Publications	257
Curriculum Vitae	258