

DOCTORAL THESIS

Enhanced phytoextraction of metal contaminated soils using beneficial microorganisms

Wu, Shengchun

Date of Award:
2004

[Link to publication](#)

General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

**Enhanced Phytoextraction of Metal Contaminated
Soils Using Beneficial Microorganisms**

WU Shengchun

**A thesis submitted in partial fulfillment of the requirements
for the degree of
Doctor of Philosophy**

Principal Supervisor: Prof. WONG Ming Hung

Hong Kong Baptist University

December 2004

ABSTRACT

The present study aims to investigate the effects of inoculation of beneficial soil microorganisms, such as plant growth promoting rhizobacteria (PGPRs) and arbuscular mycorrhizal fungi (AMF), on enhancing phytoextraction of higher plants on heavy metal contaminated sites.

The inocula of both PGPRs and AMF were successfully established in clean soil and metal contaminated soil, although the elevated metal concentrations in soil exerted toxic effects on the introduced microorganisms. Survival and growth of soil bacteria declined according to the increase of metal concentrations. The order of metal toxicity to N-fixing bacterium (*Azotobacter chroococcum*) was: Cd > Cu > Zn > Pb.

It was found that the mechanisms of bacterial tolerance to metal toxicity might involve either extracellular binding or intracellular metal sequestration by metal-induced heat stable proteins (HSPs). The capacity of bacterial sorption of metal ions from solution could be described well by the linearized Freundlich and Langmuir adsorption isotherm. *A. chroococcum* (Gram negative) tended to sorb more metal ions than did *Bacillus megaterium* (Gram positive). An extra synthesis of heat stable proteins (HSPs) was induced in the bacterial cells of both Gram positive and Gram negative strains when exposed to metal ions. The concentration of HSPs in the cells usually increased with the increase of metal concentrations.

It was demonstrated that the inoculation of bacteria or/and mycorrhizae could alter metal speciation and bioavailability in soils through a soil column experiment and greenhouse study. Bacterial inoculation significantly increased fractions of DTPA-extractable, HOAc-soluble and water-soluble metals (Zn, Cu and Cd). This can be attributed to the decrease in soil pH due to the secretion of proton, amino acids and

organic acids through metabolic activities of bacteria. However, the bioavailability of Pb was markedly decreased due to microbial inoculation, since Pb ions can be easily bound on surface of bacterial cells and mycorrhizal hyphae. In addition, the inoculation of P-solubilizing bacteria and AMF resulted in an increase of available phosphate in soil solution, which can form precipitation of Pb-phosphate therefore reduced Pb bioavailability.

The inoculation of beneficial microorganisms significantly stimulated the growth of host plants, because these microbes were able to i) increase nutrient availability and soil fertility in the rhizosphere; ii) produce metabolites and other biologically active substances, which are beneficial to plant growth; and iii) exert a protection effect on the host plants through alleviating the metal toxicity. Although inoculation of PGPRs and/or mycorrhizal fungi in most cases led to a decrease of metal concentrations in the shoot tissue, the total amount of heavy metals removed by plants were still significantly increased due to a higher harvestable biomass compared to the control. In addition, it was observed that an intercropping system with the high-yielding mycorrhizal plants grown alongside accumulator/hyperaccumulators (non-mycorrhizal) could be a new alternative for improving the efficiency of phytoremediation. Based on the results of this study, beneficial microorganisms such as PGPRs and AMF may play a significant role in phytoremediation of metal contaminated soil.

TABLE OF CONTENTS

DECLARATION	i
ABSTRACT	ii
ACKNOWLEDGEMENTS	iv
TABLE OF CONTENTS	v
LIST OF TABLES	x
LIST OF FIGURES	xii

CHAPTER 1. GENERAL INTRODUCTION

1.1 Background of Research

1.1.1 Current Issues of Soil Contamination Caused by Heavy Metals	1
1.1.2 Existing Technologies and Measures for Treatment of Heavy Metal Contaminated Soils	5
1.1.3 Definition, Types and Advantages of Phytoremediation	7

1.2 Literature Review

1.2.1 Current Progress of Phytoextraction	17
1.2.2 Mechanisms of Plant Tolerance to Metal Toxicity	19
1.2.3 Roles of Soil Bacteria in Phytoextraction	20
1.2.4 Roles of Mycorrhizae in Phytoextraction	25
1.2.5 Conclusion	27

1.3 Objectives of Research

1.4 Contributions and Significance of Present Research

1.5 Framework of Research

CHAPTER 2. ISOLATION AND SELECTION OF BENEFICIAL BACTERIA FROM AGRONOMIC SOILS AND DETERMINATION OF OPTIMIZED CONDITIONS FOR PGPR SURVIVAL

2.1 Introduction

2.2 Materials and Methods	
2.2.1 Soil Sampling for Microbial Investigation	35
2.2.2 Incubation Experiments Concerning the Optimal Conditions for the Survival Status and N ₂ -Fixation Capacity of <i>A. Chroococcum</i>	38
2.2.3 Experiment Design	40
2.2.4 Data Analysis	42
2.3. Results and Discussions	
2.3.1 Microbial Diversity at Four Different Subecosystems in Hong Kong and Isolation of Beneficial Microorganisms	43
2.3.2 Effect of Soil Properties and Other Ecological Factors on the Survival and Physiological Activities of N-fixing Bacteria	48
2.4 Conclusion	65

CHAPTER 3. EFFECT OF BACTERIAL INOCULATION ON THE METAL SPECIATION, MOBILITY AND BIOAVAILABILITY

3.1 Introduction	67
3.2 Materials and Methods	
3.2.1 Soil and Pb/Zn Tailings	70
3.2.2 Bacterial Strains and Preparation of Inoculum	70
3.2.2 Experimental Design	71
3.2.3 Chemical and Biological Analyses	72
3.2.4 Statistical Analysis	76
3.3 Results and Discussions	
3.3.1 Soil pH, EC, DOC and Available P	76
3.3.2 Chemical Extractability of Metals	88
3.3.3 Speciation and Distribution Consequential Chemical Extractability of Metals	90
3.3.4 Effects of Bacteria on the Movement of Metal Ions in Soil	94
3. 4 Conclusion	98

CHAPTER 4.INTERACTIONS BETWEEN PLANT GROWTH PROMOTING RHIZOBACTERIA (PGPRS) AND HEAVY METALS RELATED TO THE BACTERIAL DETOXIFICATION AND TOLERANCE TO METAL IONS

4.1 Introduction	100
4.2 Materials and Methods	103

4.2.1 Isolation of Metal Tolerant PGPRs	103
4.2.2 Metal Sorption Experiment	104
4.2.3 Seed Germination and Root Elongation Tests	106
4.2.4 Metal-induced Expression of Heat-stable Protein in Bacterial Cells	107
4.3 Results and Discussions	
4.3.1 Metal-binding Capacity of the Bacteria	108
4.3.2 Time-dependent Kinetics Studies of Metal Binding by Bacteria	113
4.3.3 Assays of Seed Germination and Root Elongation	115
4.3.4 Biosynthesis of Metal-bind Protein in the Bacteria Induced by Cd ²⁺ and Cu ²⁺	126
4.4 Conclusion	132

CHAPTER 5. EFFECTS OF PLANT GROWTH PROMOTING RHIZOBACTERIA AND ARBUSCULAR MYCORRHIZAL FUNGI ON MAIZE GROWTH

5.1 Introduction	133
5.2 Materials and Methods	
5.2.1 Soil	137
5.2.2 Fertilizer and Microbial Inocula	137
5.2.3 Pot Experiment	139
5.2.4 Biological and Chemical Analyses	141
5.2.5 Data Analysis	142
5.3 Results and Discussions	
5.3.1 Inoculum Establishment in the Plant Rhizosphere	143
5.3.2 Soil Properties	146
5.3.3 Plant Biomass Accumulation	153
5.3.4 Nutrient Acquisition	156
5.4 Conclusion	159

CHAPTER 6. EFFECTS OF INOCULATION OF PLANT GROWTH PROMOTING RHIZOBACTERIA (PGPRS) ON METAL UPTAKE BY *BRASSICA JUNCEA*

6.1 Introduction	161
-------------------------	-----

6.2 Materials and Methods

6.2.1 Soil and Tailings	163
6.2.2 Plant	165
6.2.3 Preparation of Bacterial Inoculum	165
6.2.4 Pot Experiment	166
6.2.5 Chemical and Biological Analyses	166
6.2.6 Data Analysis	168

6.3 Results and Discussions

6.3.1 Isolation and Selection of Metal-resistant Bacterial Strain	168
6.3.2 Plant Biomass	169
6.3.3 Inoculum Establishment and Soil Enzyme Activity in the Rhizosphere and Nonrhizosphere of <i>B. juncea</i>	173
6.3.4 Effects of Bacterial Inoculation on Improvement of Soil Properties	175
6.3.5 Heavy Metal Extractability	179
6.3.6 Metal Uptake by <i>B. juncea</i>	180
6.3.7 Nutrient Acquisition by Plants	185

6.4. Conclusion 186

CHAPTER 7. MICROBES-ASSOCIATED PHYTOEXTRACTION BY AN INTERCROPPING SYSTEM CONSISTED OF *BRASSICA JUNCEA* AND *ZEAMAYS*

7.1 Introduction 190

7.2 Materials and Methods

7.2.1 Soil Preparation	193
7.2.2 Seeds of <i>Brassica juncea</i> and <i>Zea mays</i> and Microbial Inoculants	193
7.2.3 Experimental Design	194
7.2.4 Plant Analysis	195
7.2.5 Soil Analysis	196
7.2.6 Statistical Analysis	197

7.3 Results and Discussions

7.3.1 Basic Properties of Tested Soil	198
7.3.2 Interaction between Plant and Introduced Microorganisms in Terms of Plant Growth and Inocula Establishment	198
7.3.3 Uptake of Metals by Plants	207
7.3.4 Phytoremediation Effect	213

7.4 Conclusion	218
CHAPTER 8. GENERAL DISCUSSION AND CONCLUSION	
8.1 Introduction	219
8.2 Responses of Microbes to the Toxicity of Metal	222
8.3 Effects of Microbial Inoculation on Metal Speciation and Bioavailability in Soils	226
8.4 Interactions between Soil Bacteria, Mycorrhizae and Plants	228
8.5 Effects of Microbial Inoculation on the Soil Properties and Plant Growth	
8.5.1 Plant Growth Promoting Rhizobacteria	230
8.5.2 Arbuscular Mycorrhizal Fungi	231
8.6 Effects of Beneficial Microbes on Metal Uptake by Plants	233
8.7 Future Work	
8.7.1 Field trials: Microbe-associated Phytoremediation on Metal Contaminated Soils	236
8.7.2 Roles of Beneficial Microorganisms in Phytoremediation of Complexly-contaminated Soils Caused by PAHs and Heavy Metals	236
REFERENCES	238
PUBLICATIONS	264
CURRICULUM VITAE	265