

DOCTORAL THESIS

Gametogenesis and flower development controlled by *AtAnamorsin1* and *AtPUB4*

Yu, Boying

Date of Award:
2015

[Link to publication](#)

General rights

Copyright and intellectual property rights for the publications made accessible in HKBU Scholars are retained by the authors and/or other copyright owners. In addition to the restrictions prescribed by the Copyright Ordinance of Hong Kong, all users and readers must also observe the following terms of use:

- Users may download and print one copy of any publication from HKBU Scholars for the purpose of private study or research
- Users cannot further distribute the material or use it for any profit-making activity or commercial gain
- To share publications in HKBU Scholars with others, users are welcome to freely distribute the permanent URL assigned to the publication

**Gametogenesis and Flower Development Controlled by
AtAnamorsin1 and AtPUB4**

YU Boying

**A thesis submitted in partial fulfilment of the requirements
for the degree of
Doctor of Physiology**

Principal Supervisor: Prof. XIA Yiji

Hong Kong Baptist University

January 2015

Declaration

I hereby declare that this thesis represents my own work which has been done after registration for the degree of Ph.D at Hong Kong Baptist University, and has not been previously included in a thesis, dissertation submitted to this or other institution for a degree, diploma or other qualification.

Signature: _____

Date: January 2015

Abstract

Flowers are the organs for sexual reproduction in angiosperms. Gametogenesis in floral organs leads to formation of sperms and eggs and their fertilization forms a zygote that develops into a new plant. Gametogenesis and embryogenesis involve precisely regulated biological processes controlled by complex networks of genes and pathways.

In this study, AtANA1, which was identified as a redox sensitive protein in previous study, was found to be essential for embryogenesis and also plays an important role in both male and female gametogenesis. Without a functional AtANA1, embryo development is arrested after the first cell division of the zygote. The *ana1* mutation also causes arrest in different steps of male and female gametogenesis. Aborting pollen and embryos caused by the *ana1* mutation exhibit enhanced accumulation of reactive oxygen species and DNA fragmentation, marks of programmed cell death. Presence of aborting *ana1* pollen was also found to lead to abortion of wild type pollen in the same anther, raising a possibility that the aborting *ana1* pollen might release a death signal. ANA1 could be involved in an oxidative stress signaling pathway, and loss of its function triggers death of gametophytic and embryonic cells.

Another important protein involved in Arabidopsis reproductive processes is PUB4, an E3 ubiquitin ligase. The *pub4* mutation was previously found to cause abnormal enlargement of tapetal cells and incomplete degeneration of the tapetum layer, resulting in a defect in pollen release and conditional male sterility. In this study, we characterized PUB4's role in controlling floral meristem determinacy. The *pub4* mutation causes formation of ectopic floral organs inside of carpels/siliques. It was found that the *pub4* mutation leads to ectopic expression of *WUSCHEL*, an important regulator which is essential for maintaining shoot apical meristem and floral meristem, which could be responsible for the flower-in-flower phenotype. PUB4 appears to work additively with AGAMOUS (AG) to control appropriate expression of the *WUS* gene. Three extra large G proteins (XLGs) in *Arabidopsis*, which interact with PUB4, also play roles in controlling tapetal cell enlargement and degeneration. However, XLGs might not function in floral meristem determinacy.

Acknowledgements

Foremost, I would like to show my sincere gratitude to my principal supervisor, Prof Xia Yiji, for his fully support, every enlightened suggestion, and encouragement during my study period. Without his guidance, his patience, and his immense knowledge, I would never have finished my study and completed this thesis. I could not imagine a better mentor for my Ph.D study.

I also want to thank Dr. QIU Jianwen, and Prof. ZHANG Jianhua for their precious comments and constant help in these years.

I am also grateful to my laboratory technician, Ms. Louise Ng Lai Ha, for her technical supports, experiment materials and chemicals ordering. Besides, I also want to show my thanks to technicians of our department, Mr. Ip Wang Kwong, and Mr. Chung Wai Shing, for teaching me detail research skills. I want to thank the secretary of our department, Ms Lau Pui Ling, and executive assistant in graduate school, Mr. K.F. Lo, for their generous help every time.

In addition, my great thanks goes to our lab members: Yin Zhao, Liu Pei, Wang Yipin, Wu Yingying, Jiang Tiantian, Yu peipei, Li yimim, Zhang Hailei for their help, for the friendship, for their company through the past four years.

Last not but least, I would like to express my thanks to my family members for their spiritually support and encouragements during my whole study period.

Table of Contents

Declaration	i
Abstract.....	ii
Acknowledgements	iii
Table of Contents	iv
List of the Tables.....	ix
List of the Figures	x
List of Abbreviation.....	xii
Chapter One - Literature Review.....	1
1.1 The Shoot Apical Meristem.....	1
1.1.1 Introduction to the shoot apical meristem.....	1
1.1.2 Signaling pathways in the SAM	1
1.2 Flowering and flower determinacy	4
1.2.2 Transition of vegetative to reproductive development	4
1.2.2 Floral meristem	5
1.2.3 ABC model in FM identity	6
1.2.4 Termination of floral meristem.....	8
1.3 Male and Female gametogenesis	9

1.3.1 Stamen development and male gametogenesis.....	9
1.3.2 Genes involved in male gametophyte development	11
1.3.3 Formation of gynoecia and female gametogenesis.....	13
1.3.4 Genes involved in ovule development.....	14
1.3.5 Mutations affecting both male and female gametogenesis	18
1.4 Embryogenesis.....	20
1.4.1 Introduction to embryogenesis.....	20
1.4.2 Genes involved in embryogenesis	22
1.5 Program cell death	24
1.5.1 Program cell death in plants.....	24
1.5.2 Program cell death in biological progresses	25
1.5.3 Reactive oxygen species regulate program cell death	27
1.6 Summary and perspectives in this study.....	28
Chapter Two- Materials and Methods.....	29
2.1 Plant materials.....	29
2.2 Plant growth condition.....	29
2.3 PCR analysis and T-insertion lines.....	30
2.4 Constructing vectors	30

2.5 Bacterial strains and plasmids.....	31
2.6 Oligonucleotide primers	33
2.7 Polymerase chain reaction (PCR), restriction enzyme digestion on plasmid, product purification and ligation.....	35
2.8 Preparation of <i>Agrobacterium tumefaciens</i> competent cells and <i>Arabidopsis</i> transformation.....	36
2.9 Transgenic lines selection and analysis	37
2.10 Extraction and purification of genomic DNA.....	38
2.11 Extraction of plant total RNA and cDNA synthesis	39
2.12 Real-time quantitative PCR analysis	40
2.13 β -Glucuronidase (GUS) histochemical assays.....	40
2.14 Wax sectioning and resin sectioning	41
2.15 Terminal Deoxynucleotidyl Transferase dUTP Nick End Labelling assay (TUNEL).....	42
2.16 Light microscope observation and confocal microscope observation	43
2.17 Protein expression, purification and in vitro ubiquitination assay.....	44
 Chapter Three-AtANA1 is Required for Gametogenesis and Embryogenesis	46
3.1 Introduction.....	46

3.2 Results.....	50
3.2.1 Loss-of-function mutation of <i>Atana1</i> leads to embryonic lethality.....	50
3.2.2 <i>AtANA1</i> disruption blocks embryogenesis.....	54
3.2.3 <i>AtANA1</i> Disruption causes abortion of some ana1 pollen and also affect neighbouring wild type pollen.....	57
3.2.4 Disruption of <i>ANA1</i> causes abortion of male gametophytes before PMI	63
3.2.5 The <i>Atana1</i> mutation arrests female gametogenesis during mitosis.....	65
3.2.6 The mutation in <i>ANA1</i> leads to programmed cell death of developing seeds and pollen grains.....	68
3.2.7 The phenotypes associated with the ana1 mutation can be complemented by the AtANA1 gene.....	72
3.2.8 The <i>ana1-2</i> mutation does not affect male gametogenesis.....	72
3.2.9 Expression patterns of <i>AtANA1</i>	76
3.2.10 AtANA1 protein is localized at cytosol.....	76
Chapter Four- AtPUB4 Controls Floral Determinacy.....	79
4.1 Introduction.....	79
4.2 Results.....	83
4.2.1 PUB4 regulates floral meristem determinacy.....	83

4.2.2 Does auxin plays a role in the PUB4-mediated floral meristem determinacy?	89
4.2.3 <i>AtPUB4</i> is involved in controlling pathways of floral stem cells maintenance.	91
4.2.4 The <i>pub4</i> mutation causes ectopic expression of <i>WUSCHEL</i> in siliques.....	94
4.2.5 <i>AtPUB4</i> and <i>AG</i> act additively in controlling floral meristem determinacy	96
4.2.6 PUB4 has E3 ligase activity.....	99
4.2.7 AtXLGs, which interact with PUB4, are also involved in regulating growth and degeneration of tapetal cells.....	101
Chapter five-Conclusion and Discussion	105
5.1 AtANA1 is required in gametogenesis and embryogenesis	105
5.2 AtPUB4 regulates floral determinacy as well as development of tapetal cells.	107
List of Reference	111
Curriculum Vitae	127